

AD-A141 559

STUDY OF GAS-SURFACE INTERACTIONS BY LASER-INDUCED  
FLUORESCENCE DETECTION(U) STANFORD UNIV CA DEPT OF  
CHEMISTRY R N ZARE 01 MAY 84 ARO-17355.5-CH

1//


UNCLASSIFIED

DAAG29-80-K-0035

F/G 7/4

NL

									END DATE FILMED 7-84 GPO
--	--	--	--	--	--	--	--	--	--------------------------------------



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER <del>ARO 77355</del> S-CH	2. GOVT ACCESSION NO. AD-A141559	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Study of Gas-Surface Interactions by Laser-Induced Fluorescence Detection		5. TYPE OF REPORT & PERIOD COVERED Final Report Dec 83 June 1980 - May 1984
AUTHOR(s) Richard N. Zare		6. PERFORMING ORG. REPORT NUMBER
PERFORMING ORGANIZATION NAME AND ADDRESS Stanford University Department of Chemistry Stanford, CA 94305		8. CONTRACT OR GRANT NUMBER(s) ARO DAAG 29-80-K-0035
CONTROLLING OFFICE NAME AND ADDRESS U. S. Army Research Office Post Office Box 12211 Research Triangle Park, NC 27709		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE May 1, 1984
		13. NUMBER OF PAGES Five (5)
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)  NA		
18. SUPPLEMENTARY NOTES The view, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Gas-Surface Interactions Gas-Surface Scattering Nitric Oxide Silver Hydrogen		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The scattering of nitric oxide (NO) from a clean single-crystal of silver [the (111) face] has been studied. The rotational and fine structure distributions of NO X <sup>2</sup> Π have been determined as a function of surface temperature and of incident kinetic energy normal to the surface plane. The analysis technique is that of laser-induced fluorescence using a Nd:YAG pumped dye laser which is both frequency doubled and Raman shifted to overlap the NO (γ) band system in the UV. It is found that the energy transferred into the NO rotational degree of		

AD-A141 559

DTIC FILE COPY

NO X<sub>2</sub>

DD FORM 1 JAN 75 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

84 05 25 058

freedom in a single gas-surface encounter is expressed by

$$\langle E_r \rangle = a(E_n + E_w) + b(E_s)$$

where  $\langle E_r \rangle$  is the mean rotational energy,  $E_n$  the normal component of the NO kinetic energy,  $E_s$  the surface temperature,  $E_w$  a parameter characterizing the NO/Ag(111) well depth, and  $a$  and  $b$  are coefficients that express the fraction of kinetic and surface energy appearing as rotational excitation. For NO  $X^2\Pi$ , we find that  $E_w = 2850$  K,  $a = 0.88$  and  $b = 0.18$  and for NO  $X^2\Pi_{3/2}$ ,  $E_w = 2080$  K,  $a = 0.132$ , and  $b = 0.11$ .

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



STUDY OF GAS-SURFACE INTERACTIONS  
BY LASER-INDUCED FLUORESCENCE DETECTION

FINAL REPORT

RICHARD N. ZARE

MAY 1, 1984

U. S. ARMY RESEARCH OFFICE

DAAG 29-80-K-0035

STANFORD UNIVERSITY

APPROVED FOR PUBLIC RELEASE  
DISTRIBUTION UNLIMITED

STATEMENT OF PROBLEM STUDIED  
AND SUMMARY OF EXPERIMENTAL RESULTS

We have studied the interactions in a gas-surface system by the laser-induced fluorescence (LIF) techniques. Specifically, we have studied the rotationally inelastic scattering of a molecular beam of nitric oxide (NO) from a single-crystal silver surface (the (111) face) under ultrahigh-vacuum conditions. Using a tunable UV laser, we were able to probe the rotational and electronic state distributions of the scattered NO. Measurements were performed as a function of surface temperature, incident NO kinetic energy, and incident scattering angle.

The important results from this study are, first to demonstrate the feasibility of using LIF techniques in surface scattering experiments, and also to show the usefulness of doing so.

The experimental results can be summarized as follows:

- 1) The scattered NO rotational distributions were Boltzmann in nature, i.e., were characterized by a single temperature, for  $E_n \leq 1160$  K, where  $E_n$  represents the component of the incident NO kinetic energy that is normal to the surface. The distribution was non-Boltzmann at  $E_n = 2321$  K, showing a broad maximum at rotational quantum numbers (J) between 22.5 and 32.5, which corresponds to the highest J's observed. This maximum is interpreted as a rotational rainbow due to a maximum in the rotational excitation function.
- 2) Due to the nature of the molecular beam, the incident NO is almost completely relaxed in the the  $\Omega = \frac{1}{2}$  fine structure state (the lower in energy) and into the lowest few rotational levels. Significant

excitation of the upper fine structure level is observed on scattering and at higher beam energies the fine structure populations scale monotonically with  $E_n$  just as the rotational populations do.

3) It was found that energy transferred into the NO rotational degree of freedom in a single collision with a clean Ag(111) surface could be expressed by the following equation:

$$\langle E_r \rangle = a(E_n + E_w) + b(E_s)$$

where  $\langle E_r \rangle$  is the mean rotational energy (the temperature if the distribution is Boltzmann),  $E_s$  is the surface temperature,  $E_w$  is the depth of the NO/Ag(111) potential well, and a and b are constants which express the fraction of kinetic and surface energy appearing as rotational excitation. For the  $\Omega = \frac{1}{2}$  fine structure component our best fit values for these parameters are  $E_w = 2850$  K,  $a = 0.88$ ,  $b = 0.18$ , while for the  $\Omega = \frac{3}{2}$  component  $E_w = 2080$  K,  $a = 0.132$ ,  $b = 0.11$ .

We have also considered theoretical aspects of the diatom-surface scattering problem. In particular, within an impulsive potential framework (the 'hard cube' model), we explored the role surface atom motion plays in rotationally inelastic scattering. We found that inclusion of a range of surface cube velocities strongly affects such features as rotational rainbows and cutoffs in higher rotational state populations due to trapping by the surface.

In conclusion, we have completed a detailed experimental study of gas-surface dynamics by investigating the rotationally inelastic scattering of nitric oxide by an Ag(111) surface using a laser-based detection scheme; and we have carried out complementary theoretical computations.

PUBLICATIONS AND TECHNICAL REPORTS PUBLISHED

1. "Stepwise Bond Dissociation Energies in Sulfur Hexafluoride,"  
T. Kiang and R. N. Zare, Journal of the American Chemical Society,  
102, 4024-029 (1980).
2. "Determination of Internal-State Distributions of Surface Scattered  
Molecules: Incomplete Rotational Accommodation of NO on Ag(111),"  
G. M. McClelland, G. D. Kubiak, H. G. Rennagel, and R. N. Zare,  
Physical Review Letters, 46, 831-34 (1981).
3. "Statistical Averaging in Rotationally Inelastic Gas-Surface  
Scattering: The Role of Surface Atom Motion," J. E. Hurst, Jr.,  
G. D. Kubiak, and R. N. Zare, Chemical Physics Letters, 93, 235-39  
(1982).
4. "Direct Inelastic Scattering of Nitric Oxide from Clean (Ag(111):  
Rotational and Fine Structure Distributions," G. D. Kubiak, J. E.  
Hurst, Jr., H. G. Rennagel, G. M. McClelland, and R. N. Zare, The  
Journal of Chemical Physics, 79, 5163-178 (1983).



**PARTICIPATING SCIENTIFIC PERSONNEL  
SHOWING ADVANCED DEGREE EARNED WHILE ON PROJECT**

Jerry E. Hurst, Jr.	Post-Doctoral Scholar
Glenn D. Kubiak	Graduate Research Assistant
Andrew H. Kummel	Graduate Research Assistant
Harry G. Rennagel	Graduate Research Assistant Ph.D., July 1981*
Greg O. Sitz	Graduate Research Assistant

\* Harry G. Rennagel received his Ph.D. in July 1981, "Rotational-State Distribution of Nitric Oxide Scattered from Ag(111)"

END

DATE  
FILMED

7 84

DTIC